

MEDIUM DUTY CASTER 03 Series

Capacity up to **130 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC0303-AB03G	3.0"		75	32	75	105	PVC	Steel-Black	Dual Ball Bearings	62 x 95	45 x 75	8.5	-
	SC0304-AB03G	4.0"		100	32	85	129				62 x 95	45 x 75	8.5	-
	SC0305-AB03G	5.0"		125	32	100	153				62 x 95	45 x 75	8.5	-
	SC0303-BB03G	3.0"		75	32	75	105	PVC	Steel-Black	Dual Ball Bearings	62 x 95	45 x 75	8.5	-
	SC0304-BB03G	4.0"		100	32	85	129				62 x 95	45 x 75	8.5	-
	SC0305-BB03G	5.0"		125	32	100	153				62 x 95	45 x 75	8.5	-
	SC0303-CB03G	3.0"		75	32	75	105	PVC	Steel-Black	Dual Ball Bearings	62 x 95	45 x 75	8.5	-
	SC0304-CB03G	4.0"		100	32	85	129				62 x 95	45 x 75	8.5	-
	SC0305-CB03G	5.0"		125	32	100	153				62 x 95	45 x 75	8.5	-
	SC0303-DB03G	3.0"		75	32	75	105	PVC	Steel-Black	Dual Ball Bearings	-	-	-	M10x30/M12x30
	SC0304-DB03G	4.0"		100	32	85	129				-	-	-	M10x30/M12x30
	SC0305-DB03G	5.0"		125	32	100	153				-	-	-	M10x30/M12x30
	SC0303-EB03G	3.0"		75	32	75	105	PVC	Steel-Black	Dual Ball Bearings	-	-	-	M10x30/M12x30
	SC0304-EB03G	4.0"		100	32	85	129				-	-	-	M10x30/M12x30
	SC0305-EB03G	5.0"		125	32	100	153				-	-	-	M10x30/M12x30

MEDIUM DUTY CASTER 03 Series

Capacity up to **130 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC0303-AB10L	3.0"		75	32	90	105	TPR	Steel-Black	Dual Ball Bearings	62 x 95	45 x 75	8.5	-
	SC0304-AB10L	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-AB10L	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-
	SC0303-BB10L	3.0"		75	32	90	105	TPR	Steel-Black	Dual Ball Bearings	62 x 95	45 x 75	8.5	-
	SC0304-BB10L	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-BB10L	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-
	SC0303-CB10L	3.0"		75	32	90	105	TPR	Steel-Black	Dual Ball Bearings	62 x 95	45 x 75	8.5	-
	SC0304-CB10L	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-CB10L	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-
	SC0303-DB10L	3.0"		75	32	90	105	TPR	Steel-Black	Dual Ball Bearings	-	-	-	M10x30/M12x30
	SC0304-DB10L	4.0"		100	32	110	129				-	-	-	M10x30/M12x30
	SC0305-DB10L	5.0"		125	32	130	153				-	-	-	M10x30/M12x30
	SC0303-EB10L	3.0"		75	32	90	105	TPR	Steel-Black	Dual Ball Bearings	-	-	-	M10x30/M12x30
	SC0304-EB10L	4.0"		100	32	110	129				-	-	-	M10x30/M12x30
	SC0305-EB10L	5.0"		125	32	130	153				-	-	-	M10x30/M12x30

MEDIUM DUTY CASTER 03 Series

Capacity up to **130 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC0303-A03R	3.0"		75	32	75	105	PVC	Steel-Zinc Plating	Single Ball Bearing	62 x 95	45 x 75	8.5	-
	SC0304-A03R	4.0"		100	32	85	129				62 x 95	45 x 75	8.5	-
	SC0305-A03R	5.0"		125	32	100	153				62 x 95	45 x 75	8.5	-
	SC0303-B03R	3.0"		75	32	75	105	PVC	Steel-Zinc Plating	Single Ball Bearing	62 x 95	45 x 75	8.5	-
	SC0304-B03R	4.0"		100	32	85	129				62 x 95	45 x 75	8.5	-
	SC0305-B03R	5.0"		125	32	100	153				62 x 95	45 x 75	8.5	-
	SC0303-C03R	3.0"		75	32	75	105	PVC	Steel-Zinc Plating	Single Ball Bearing	62 x 95	45 x 75	8.5	-
	SC0304-C03R	4.0"		100	32	85	129				62 x 95	45 x 75	8.5	-
	SC0305-C03R	5.0"		125	32	100	153				62 x 95	45 x 75	8.5	-
	SC0303-CZ03R	3.0"		75	32	75	105	PVC	Steel-Zinc Plating	Single Ball Bearing	62 x 95	45 x 75	8.5	-
	SC0304-CZ03R	4.0"		100	32	85	129				62 x 95	45 x 75	8.5	-
	SC0305-CZ03R	5.0"		125	32	100	153				62 x 95	45 x 75	8.5	-

MEDIUM DUTY CASTER 03 Series

Capacity up to **130 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC0303-D03R	3.0"		75	32	75	105	PVC	Steel-Zinc Plating	Single Ball Bearing	-	-	-	M10x30/M12x30
	SC0304-D03R	4.0"		100	32	85	129				-	-	-	M10x30/M12x30
	SC0305-D03R	5.0"		125	32	100	153				-	-	-	M10x30/M12x30
	SC0303-E03R	3.0"		75	32	75	105	PVC	Steel-Zinc Plating	Single Ball Bearing	-	-	-	M10x30/M12x30
	SC0304-E03R	4.0"		100	32	85	129				-	-	-	M10x30/M12x30
	SC0305-E03R	5.0"		125	32	100	153				-	-	-	M10x30/M12x30

MEDIUM DUTY CASTER 03 Series

Capacity up to **130 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC0303-A10E	3.0"		75	32	90	105	TPR	Steel-Zinc Plating	Dual Ball Bearings	62 x 95	45 x 75	8.5	-
	SC0304-A10E	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-A10E	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-
	SC0303-B10E	3.0"		75	32	90	105	TPR	Steel-Zinc Plating	Dual Ball Bearings	62 x 95	45 x 75	8.5	-
	SC0304-B10E	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-B10E	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-
	SC0303-C10E	3.0"		75	32	90	105	TPR	Steel-Zinc Plating	Dual Ball Bearings	62 x 95	45 x 75	8.5	-
	SC0304-C10E	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-C10E	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-
	SC0303-CZ10E	3.0"		75	32	90	105	TPR	Steel-Zinc Plating	Dual Ball Bearings	62 x 95	45 x 75	8.5	-
	SC0304-CZ10E	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-CZ10E	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-

MEDIUM DUTY CASTER 03 Series

Capacity up to **130 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC0303-D10E	3.0"		75	32	90	105	TPR	Steel-Zinc Plating	Dual Ball Bearings	-	-	-	M10x30/M12x30
	SC0304-D10E	4.0"		100	32	110	129				-	-	-	M10x30/M12x30
	SC0305-D10E	5.0"		125	32	130	153				-	-	-	M10x30/M12x30
	SC0303-E10E	3.0"		75	32	90	105	TPR	Steel-Zinc Plating	Dual Ball Bearings	-	-	-	M10x30/M12x30
	SC0304-E10E	4.0"		100	32	110	129				-	-	-	M10x30/M12x30
	SC0305-E10E	5.0"		125	32	130	153				-	-	-	M10x30/M12x30

MEDIUM DUTY CASTER 03 Series

Capacity up to **130 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC0303-A02B	3.0"		75	32	90	105	TPU	Steel-Zinc Plating	Single Ball Bearing	62 x 95	45 x 75	8.5	-
	SC0304-A02B	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-A02B	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-
	SC0303-B02B	3.0"		75	32	90	105	TPU	Steel-Zinc Plating	Single Ball Bearing	62 x 95	45 x 75	8.5	-
	SC0304-B02B	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-B02B	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-
	SC0303-C02B	3.0"		75	32	90	105	TPU	Steel-Zinc Plating	Single Ball Bearing	62 x 95	45 x 75	8.5	-
	SC0304-C02B	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-C02B	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-
	SC0303-CZ02B	3.0"		75	32	90	105	TPU	Steel-Zinc Plating	Single Ball Bearing	62 x 95	45 x 75	8.5	-
	SC0304-CZ02B	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-CZ02B	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-

MEDIUM DUTY CASTER 03 Series

Capacity up to **130 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC0303-D02B	3.0"		75	32	90	105	TPU	Steel-Zinc Plating	Single Ball Bearing	-	-	-	M10x30/M12x30
	SC0304-D02B	4.0"		100	32	110	129				-	-	-	M10x30/M12x30
	SC0305-D02B	5.0"		125	32	130	153				-	-	-	M10x30/M12x30
	SC0303-E02B	3.0"		75	32	90	105	TPU	Steel-Zinc Plating	Single Ball Bearing	-	-	-	M10x30/M12x30
	SC0304-E02B	4.0"		100	32	110	129				-	-	-	M10x30/M12x30
	SC0305-E02B	5.0"		125	32	130	153				-	-	-	M10x30/M12x30

MEDIUM DUTY CASTER 03 Series

Capacity up to **130 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC0303-A02R	3.0"		75	32	90	105	TPU	Steel-Zinc Plating	Single Ball Bearing	62 x 95	45 x 75	8.5	-
	SC0304-A02R	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-A02R	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-
	SC0303-B02R	3.0"		75	32	90	105	TPU	Steel-Zinc Plating	Single Ball Bearing	62 x 95	45 x 75	8.5	-
	SC0304-B02R	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-B02R	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-
	SC0303-C02R	3.0"		75	32	90	105	TPU	Steel-Zinc Plating	Single Ball Bearing	62 x 95	45 x 75	8.5	-
	SC0304-C02R	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-C02R	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-
	SC0303-CZ02R	3.0"		75	32	90	105	TPU	Steel-Zinc Plating	Single Ball Bearing	62 x 95	45 x 75	8.5	-
	SC0304-CZ02R	4.0"		100	32	110	129				62 x 95	45 x 75	8.5	-
	SC0305-CZ02R	5.0"		125	32	130	153				62 x 95	45 x 75	8.5	-

MEDIUM DUTY CASTER 03 Series

Capacity up to **130 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC0303-D02R	3.0"		75	32	90	105	TPU	Steel-Zinc Plating	Single Ball Bearing	-	-	-	M10x30/M12x30
	SC0304-D02R	4.0"		100	32	110	129				-	-	-	M10x30/M12x30
	SC0305-D02R	5.0"		125	32	130	153				-	-	-	M10x30/M12x30
	SC0303-E02R	3.0"		75	32	90	105	TPU	Steel-Zinc Plating	Single Ball Bearing	-	-	-	M10x30/M12x30
	SC0304-E02R	4.0"		100	32	110	129				-	-	-	M10x30/M12x30
	SC0305-E02R	5.0"		125	32	130	153				-	-	-	M10x30/M12x30