

LIGHT DUTY TROLLEY CASTER 06 Series

Capacity up to **100 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
														
Rigid	SC0602-A10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	50 x 50	35 x 35	6.2	-
	SC0603-A10S	3.0"		75	25	70	100	TPR			65 x 65	45 x 45	6.2	-
	SC0604-A10S	4.0"		100	27	90	130	TPR			75 x 75	55 x 55	6.2	-
	SC0605-A10S	5.0"		125	28	100	155	TPR			75 x 75	55 x 55	6.2	-
	SC0602-B10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	50 x 50	35 x 35	6.2	-
	SC0603-B10S	3.0"		75	25	70	100	TPR			65 x 65	45 x 45	6.2	-
	SC0604-B10S	4.0"		100	27	90	130	TPR			75 x 75	55 x 55	6.2	-
	SC0605-B10S	5.0"		125	28	100	155	TPR			75 x 75	55 x 55	6.2	-
	SC0602-C10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	50 x 50	35 x 35	6.2	-
	SC0603-C10S	3.0"		75	25	70	100	TPR			65 x 65	45 x 45	6.2	-
	SC0604-C10S	4.0"		100	27	90	130	TPR			75 x 75	55 x 55	6.2	-
	SC0605-C10S	5.0"		125	28	100	155	TPR			75 x 75	55 x 55	6.2	-

LIGHT DUTY TROLLEY CASTER 06 Series

Capacity up to **100 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
														
	SC0602-D10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	-	-	-	M8/M10/M12 x 20/25/30
	SC0603-D10S	3.0"		75	25	70	100				-	-	-	M8/M10/M12 x 20/25/30
	SC0604-D10S	4.0"		100	27	90	130				-	-	-	M10/M12 x 25/30
	SC0605-D10S	5.0"		125	28	100	155				-	-	-	M10/M12 x 25/30
	SC0602-E10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	-	-	-	M8/M10/M12 x 20/25/30
	SC0603-E10S	3.0"		75	25	70	100				-	-	-	M8/M10/M12 x 20/25/30
	SC0604-E10S	4.0"		100	27	90	130				-	-	-	M10/M12 x 25/30
	SC0605-E10S	5.0"		125	28	100	155				-	-	-	M10/M12 x 25/30
	SC0602-F10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	-	-	-	10.0
	SC0603-F10S	3.0"		75	25	70	100				-	-	-	10.0
	SC0604-F10S	4.0"		100	27	90	130				-	-	-	10.0
	SC0605-F10S	5.0"		125	28	100	155				-	-	-	10.0
	SC0602-G10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	-	-	-	10.0
	SC0603-G10S	3.0"		75	25	70	100				-	-	-	10.0
	SC0604-G10S	4.0"		100	27	90	130				-	-	-	10.0
	SC0605-G10S	5.0"		125	28	100	155				-	-	-	10.0

LIGHT DUTY TROLLEY CASTER 06 Series

Capacity up to **100 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC0603-H10S	3.0"		75	25	70	100	TPR	Steel-Zinc Plating	Single	-	-	-	M24 x 67
	SC0604-H10S	4.0"		100	27	90	130				-	-	-	M24 x 67
	SC0605-H10S	5.0"		125	28	100	155				-	-	-	M24 x 67
	SC0603-I10S	3.0"		75	25	70	100	TPR	Steel-Zinc Plating	Single	-	-	-	M24 x 67
	SC0604-I10S	4.0"		100	27	90	130				-	-	-	M24 x 67
	SC0605-I10S	5.0"		125	28	100	155				-	-	-	M24 x 67
	SC0603-J10S	3.0"		75	25	70	100	TPR	Steel-Zinc Plating	Single	-	-	-	M11 x 35
	SC0604-J10S	4.0"		100	27	90	130				-	-	-	M11 x 35
	SC0605-J10S	5.0"		125	28	100	155				-	-	-	M11 x 35
	SC0603-K10S	3.0"		75	25	70	100	TPR	Steel-Zinc Plating	Single	-	-	-	M11 x 35
	SC0604-K10S	4.0"		100	27	90	130				-	-	-	M11 x 35
	SC0605-K10S	5.0"		125	28	100	155				-	-	-	M11 x 35

LIGHT DUTY TROLLEY CASTER 06 Series

Capacity up to **100 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
														
Rigid	SC0602-A10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	50 x 50	35 x 35	6.2	-
	SC0603-A10S	3.0"		75	25	70	100	TPR			65 x 65	45 x 45	6.2	-
	SC0604-A10S	4.0"		100	27	90	130	TPR			75 x 75	55 x 55	6.2	-
	SC0605-A10S	5.0"		125	28	100	155	TPR			75 x 75	55 x 55	6.2	-
	SC0602-B10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	50 x 50	35 x 35	6.2	-
	SC0603-B10S	3.0"		75	25	70	100	TPR			65 x 65	45 x 45	6.2	-
	SC0604-B10S	4.0"		100	27	90	130	TPR			75 x 75	55 x 55	6.2	-
	SC0605-B10S	5.0"		125	28	100	155	TPR			75 x 75	55 x 55	6.2	-
	SC0602-C10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	50 x 50	35 x 35	6.2	-
	SC0603-C10S	3.0"		75	25	70	100	TPR			65 x 65	45 x 45	6.2	-
	SC0604-C10S	4.0"		100	27	90	130	TPR			75 x 75	55 x 55	6.2	-
	SC0605-C10S	5.0"		125	28	100	155	TPR			75 x 75	55 x 55	6.2	-

LIGHT DUTY TROLLEY CASTER 06 Series

Capacity up to **100 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC0602-D10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	-	-	-	M8/M10/M12 x 20/25/30
	SC0603-D10S	3.0"		75	25	70	100				-	-	-	M8/M10/M12 x 20/25/30
	SC0604-D10S	4.0"		100	27	90	130				-	-	-	M10/M12 x 25/30
	SC0605-D10S	5.0"		125	28	100	155				-	-	-	M10/M12 x 25/30
	SC0602-E10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	-	-	-	M8/M10/M12 x 20/25/30
	SC0603-E10S	3.0"		75	25	70	100				-	-	-	M8/M10/M12 x 20/25/30
	SC0604-E10S	4.0"		100	27	90	130				-	-	-	M10/M12 x 25/30
	SC0605-E10S	5.0"		125	28	100	155				-	-	-	M10/M12 x 25/30
	SC0602-F10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	-	-	-	10.0
	SC0603-F10S	3.0"		75	25	70	100				-	-	-	10.0
	SC0604-F10S	4.0"		100	27	90	130				-	-	-	10.0
	SC0605-F10S	5.0"		125	28	100	155				-	-	-	10.0
	SC0602-G10S	2.0"		50	20	50	69	TPR	Steel-Zinc Plating	Single Ball Bearing	-	-	-	10.0
	SC0603-G10S	3.0"		75	25	70	100				-	-	-	10.0
	SC0604-G10S	4.0"		100	27	90	130				-	-	-	10.0
	SC0605-G10S	5.0"		125	28	100	155				-	-	-	10.0

LIGHT DUTY TROLLEY CASTER 06 Series

Capacity up to **100 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
														
	SC0603-H10S	3.0"		75	25	70	100	TPR	Steel-Zinc Plating	Single	-	-	-	M24 x 67
	SC0604-H10S	4.0"		100	27	90	130				-	-	-	M24 x 67
	SC0605-H10S	5.0"		125	28	100	155				-	-	-	M24 x 67
	SC0603-I10S	3.0"		75	25	70	100	TPR	Steel-Zinc Plating	Single	-	-	-	M24 x 67
	SC0604-I10S	4.0"		100	27	90	130				-	-	-	M24 x 67
	SC0605-I10S	5.0"		125	28	100	155				-	-	-	M24 x 67
	SC0603-J10S	3.0"		75	25	70	100	TPR	Steel-Zinc Plating	Single	-	-	-	M11 x 35
	SC0604-J10S	4.0"		100	27	90	130				-	-	-	M11 x 35
	SC0605-J10S	5.0"		125	28	100	155				-	-	-	M11 x 35
	SC0603-K10S	3.0"		75	25	70	100	TPR	Steel-Zinc Plating	Single	-	-	-	M11 x 35
	SC0604-K10S	4.0"		100	27	90	130				-	-	-	M11 x 35
	SC0605-K10S	5.0"		125	28	100	155				-	-	-	M11 x 35