

HEAVY DUTY CASTER 11 Series

Capacity up to **350 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
														
	SC1104-A12	4.0"		100	50	110	142	Rubber	Steel-Zinc Plating	Roller Bearing	114 x 100	85 x 72	10.8	-
	SC1105-A12	5.0"		125	50	140	164				114 x 100	85 x 72	10.8	-
	SC1106-A12	6.0"		150	50	210	190				114 x 100	85 x 72	10.8	-
	SC1108-A12	8.0"		200	50	230	240				114 x 100	85 x 72	10.8	-
	SC1104-B12	4.0"		100	50	110	142	Rubber	Steel-Zinc Plating	Roller Bearing	114 x 100	85 x 72	10.8	-
	SC1105-B12	5.0"		125	50	140	164				114 x 100	85 x 72	10.8	-
	SC1106-B12	6.0"		150	50	210	190				114 x 100	85 x 72	10.8	-
	SC1108-B12	8.0"		200	50	230	240				114 x 100	85 x 72	10.8	-
	SC1104-CZ12	4.0"		100	50	110	142	Rubber	Steel-Zinc Plating	Roller Bearing	114 x 100	85 x 72	10.8	-
	SC1105-CZ12	5.0"		125	50	140	164				114 x 100	85 x 72	10.8	-
	SC1106-CZ12	6.0"		150	50	210	190				114 x 100	85 x 72	10.8	-
	SC1108-CZ12	8.0"		200	50	230	240				114 x 100	85 x 72	10.8	-

HEAVY DUTY CASTER 11 Series

Capacity up to **350 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC1104-A06	4.0"		100	50	200	142	PU	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-A06	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-A06	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-A06	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-B06	4.0"		100	50	200	142	PU	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-B06	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-B06	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-B06	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-C06	4.0"		100	50	200	142	PU	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-C06	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-C06	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-C06	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-CZ06	4.0"		100	50	200	142	PU	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-CZ06	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-CZ06	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-CZ06	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-

HEAVY DUTY CASTER 11 Series

Capacity up to **350 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC1104-A32	4.0"		100	50	100	142	PVC	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-A32	5.0"		125	50	160	164				114 x 100	85 x 72	10.8	-
	SC1106-A32	6.0"		150	50	200	190				114 x 100	85 x 72	10.8	-
	SC1108-A32	8.0"		200	50	220	240				114 x 100	85 x 72	10.8	-
	SC1104-B32	4.0"		100	50	100	142	PVC	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-B32	5.0"		125	50	160	164				114 x 100	85 x 72	10.8	-
	SC1106-B32	6.0"		150	50	200	190				114 x 100	85 x 72	10.8	-
	SC1108-B32	8.0"		200	50	220	240				114 x 100	85 x 72	10.8	-
	SC1104-C32	4.0"		100	50	100	142	PVC	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-C32	5.0"		125	50	160	164				114 x 100	85 x 72	10.8	-
	SC1106-C32	6.0"		150	50	200	190				114 x 100	85 x 72	10.8	-
	SC1108-C32	8.0"		200	50	220	240				114 x 100	85 x 72	10.8	-
	SC1104-CZ32	4.0"		100	50	100	142	PVC	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-CZ32	5.0"		125	50	160	164				114 x 100	85 x 72	10.8	-
	SC1106-CZ32	6.0"		150	50	200	190				114 x 100	85 x 72	10.8	-
	SC1108-CZ32	8.0"		200	50	220	240				114 x 100	85 x 72	10.8	-

HEAVY DUTY CASTER 11 Series

Capacity up to **350 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC1104-A33	4.0"		100	50	200	142	PVC	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-A33	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-A33	6.0"		150	50	280	190				114 x 100	85 x 72	10.8	-
	SC1108-A33	8.0"		200	50	320	240				114 x 100	85 x 72	10.8	-
	SC1104-B33	4.0"		100	50	200	142	PVC	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-B33	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-B33	6.0"		150	50	280	190				114 x 100	85 x 72	10.8	-
	SC1108-B33	8.0"		200	50	320	240				114 x 100	85 x 72	10.8	-
	SC1104-C33	4.0"		100	50	200	142	PVC	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-C33	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-C33	6.0"		150	50	280	190				114 x 100	85 x 72	10.8	-
	SC1108-C33	8.0"		200	50	320	240				114 x 100	85 x 72	10.8	-
	SC1104-CZ33	4.0"		100	50	200	142	PVC	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-CZ33	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-CZ33	6.0"		150	50	280	190				114 x 100	85 x 72	10.8	-
	SC1108-CZ33	8.0"		200	50	320	240				114 x 100	85 x 72	10.8	-

HEAVY DUTY CASTER 11 Series

Capacity up to **350 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC1104-A34	4.0"		100	50	200	142	TPR	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-A34	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-A34	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-A34	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-B34	4.0"		100	50	200	142	TPR	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-B34	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-B34	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-B34	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-C34	4.0"		100	50	200	142	TPR	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-C34	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-C34	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-C34	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-CZ34	4.0"		100	50	200	142	TPR	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-CZ34	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-CZ34	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-CZ34	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-

HEAVY DUTY CASTER 11 Series

Capacity up to **350 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC1104-A35	4.0"		100	50	200	142	TPR	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-A35	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-A35	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-A35	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-B35	4.0"		100	50	200	142	TPR	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-B35	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-B35	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-B35	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-C35	4.0"		100	50	200	142	TPR	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-C35	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-C35	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-C35	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-CZ35	4.0"		100	50	200	142	tpr	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-CZ35	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-CZ35	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-CZ35	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-

HEAVY DUTY CASTER 11 Series

Capacity up to **350 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC1104-A04	4.0"		100	50	200	142	PP	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-A04	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-A04	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-A04	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-B04	4.0"		100	50	200	142	PP	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-B04	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-B04	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-B04	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-C04	4.0"		100	50	200	142	PP	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-C04	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-C04	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-C04	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-CZ04	4.0"		100	50	200	142	PP	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-CZ04	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-CZ04	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-CZ04	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-

HEAVY DUTY CASTER 11 Series

Capacity up to **350 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC1104-A05	4.0"		100	50	200	142	PA	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-A05	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-A05	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-A05	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-B05	4.0"		100	50	200	142	PA	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-B05	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-B05	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-B05	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-C05	4.0"		100	50	200	142	PA	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-C05	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-C05	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-C05	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-

HEAVY DUTY CASTER 11 Series

Capacity up to **350 kgs**



WhatsApp



WeChat

Photo	Model	Size	Remark	Wheel Diameter (mm)	Wheel Width (mm)	Loading Capacity (kgs)	Mounting Height (mm)	Tread Material	Housing Material	Bearing Type	Top Plate Size (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Thread/Stem/Hole Size (mm)
	SC1104-A07	4.0"		100	50	200	142	PU	Steel-Zinc Plating	Dual Ball Bearings	114 x 100	85 x 72	10.8	-
	SC1105-A07	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-A07	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-A07	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-B07	4.0"		100	50	200	142	PU	Steel-Zinc Plating	Dual Bearing	114 x 100	85 x 72	10.8	-
	SC1105-B07	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-B07	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-B07	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-
	SC1104-C07	4.0"		100	50	200	142	PU	Steel-Zinc Plating	Dual Bearing	114 x 100	85 x 72	10.8	-
	SC1105-C07	5.0"		125	50	250	164				114 x 100	85 x 72	10.8	-
	SC1106-C07	6.0"		150	50	300	190				114 x 100	85 x 72	10.8	-
	SC1108-C07	8.0"		200	50	350	240				114 x 100	85 x 72	10.8	-